

## Metallynlåse **størrelse 3** *Metal Zippers Size 3*

### BLANKSORT *BLACK SHINY*


**Ikke-delbar** *Closed End*



**Delbar** *Open End*



**To-vejs** *Two Way*



## Størrelse 3 metallynlåse finish oversigt Size 3 Metal Zippers Available Platings

Nummer No	Farve Colour	Finish Plating	Beskrivelse Explanation	Kode Code	Funktion Function	Left-insert	
1		G	Messing Brass	YGR	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
2		GKB	Antikmessing Antique Brass	YGRKB	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
3		GTH	Antiksølv Antique Silver	YGRTH	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
4		GK	Sortoxideret Black Oxides	YGRK	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
5		R	Kobber Copper	YRR	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	-	✓
6		GTX	Antikkobber Antique Copper	YGRTX	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
7		MN	Ny anti-nikkel New Anti-Nickel	YMRN	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
8		A	Aluminium Aluminium	YARN	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	-	✓
9		MDS	Matsølv Dull Silver	YMRDS	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
10		MKH	Vintage-sølv Vintage Silver	YMRKH	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	-	-
11		GKT	Blanksort Black Shiny	YGRKT (C-RAKKA)	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓
12		GK	Matsort Matt Black	YGRK (EP-RAKKA)	Ikke-delbar Closed End	✓	-
					Delbar Open End	✓	✓
					To-vejs Movable	✓	✓

**Vigtigt:** Oxideringsprocessen kan bevirke, at oxiderede lynlåse afsætter pletter på lyst tøj. Det anbefales at teste dette inden produktion for at afklare eventuelle problemer.

**Important Notice:** A normal result of the oxidation process is that oxidised zippers may leave a mark on light-coloured garments. Testing is recommended before production to clarify this potential problem.

Vi anbefaler testning af lynlåse til beklædning inden påbegyndelse af den egentlige bearbejdning (farvning, vask m.v.).

Formålet med dette er at vurdere eventuelle uønskede påvirkninger af lynlås eller beklædning, så parametrene kan ændres, og disse påvirkninger undgås.

Vi anbefaler desuden brug af et metalbeskyttende eller isolerende stof for at begrænse risikoen for uønskede påvirkninger.























We recommend a pre-production trial on zippers to be used in garments subject to bulk processing (dyeing, washing etc.).

The purpose of the trial is to assess any undesirable effects on either the zipper or the garment, then to modify the parameters to prevent such effects.

We also recommend use of a 'metal protector' or 'sequestering agent' to minimise possible adverse effects.

## Metallynlåse **størrelse 3** Metal Zippers **Size 3**

Standard skydere *Standard sliders*

				
DA2	DADR2	DAPDLS	DAR203	DADHR5
				
DFNT2	DACR7	ZF	CA	DFW
				
DAP1	DALH5	DADR4	DU	GSN8
				
GSN8TK 01	GSN8TK 02	GSN8TK 03	GSN8TK 04	GSN8TK 05
				
DADRB3	DAZ1(+bøjle) (+cover)			